




## 25 Classic Blend Lot #AL-19316

Sample ID: 1911ELB0927.2947  
Strain: N/A  
Matrix: Ingestible  
Type: Tincture  
Sample Size: 1 units; Batch:

Created: 11/18/2019  
Collected: 11/18/2019  
Received: 11/18/2019  
Completed: 11/22/2019  
Batch#:

Client  
**Palmetto Synergistic Research**  
Lic. #  
8856 Pee Dee Hwy.  
Conway, SC 29527

Cultivator/Manufacturer

	<b>1.013 mg/mL</b>	<b>27.925 mg/mL</b>	<b>29.395 mg/mL</b>
	Total THC	Total CBD	Total Cannabinoids
	<b>Not Tested</b> NT	<b>NT</b>	<b>Not Tested</b>
	Water Activity	Moisture	Foreign Matter

### Safety

Batch Status: Complete

<b>Complete</b> Pesticides	<b>Complete</b> Microbials	<b>Complete</b> Mycotoxins	<b>Complete</b> Solvents	<b>Complete</b> Metals	<b>Not Tested</b> Foreign Matter
-------------------------------	-------------------------------	-------------------------------	-----------------------------	---------------------------	-------------------------------------

### Cannabinoids

Complete

Analyte	LOD	LOQ	Mass	Mass	Mass	Mass	Mass
	%	%	%	mg/g	mg/mL	mg/serving	mg/container
THCa	0.0042	0.0104	ND	ND	ND	ND	ND
Δ9-THC	0.0029	0.0104	0.1055	1.055	1.013	0.000	0.000
Δ8-THC	0.0040	0.0104	ND	ND	ND	ND	ND
THCVa	0.0031	0.0104	NR	NR	NR	NR	NR
THCV	0.0031	0.0104	NR	NR	NR	NR	NR
CBDa	0.0025	0.0104	ND	ND	ND	ND	ND
CBD	0.0031	0.0104	2.9058	29.058	27.925	0.000	0.000
CBDV	0.0029	0.0104	0.0160	0.160	0.154	0.000	0.000
CBN	0.0040	0.0104	ND	ND	ND	ND	ND
CBGa	0.0050	0.0104	ND	ND	ND	ND	ND
CBG	0.0046	0.0104	0.0186	0.186	0.179	0.000	0.000
CBC	0.0035	0.0104	0.0129	0.129	0.124	0.000	0.000
<b>Total THC</b>			<b>0.1055</b>	<b>1.055</b>	<b>1.013</b>	<b>0.000</b>	<b>0.000</b>
<b>Total CBD</b>			<b>2.9058</b>	<b>29.058</b>	<b>27.925</b>	<b>0.000</b>	<b>0.000</b>
<b>Total</b>			<b>3.0588</b>	<b>30.588</b>	<b>29.395</b>	<b>0.000</b>	<b>0</b>

### Moisture

Date Tested:  
Equipment Used: NT = Not tested. Analytical Instrumentation: Shimadzu MOC63U; EVIO SOPT.40.010

### Foreign Matter

Date Tested:  
Equipment Used: Analytical Instrumentation: Stereo Microscope SH-2B/T; EVIO SOPT.40.013

### Water Activity

Date Tested:  
Equipment Used: NT = Not tested. Analytical Instrumentation: Rotronic HC2-AW; EVIO SOPT.40.011.CA.  
All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13).

1 Unit = 1 mL tincture = 0.961g

Potency Date Tested: 11/18/2019

Total CBD = (CBDa x 0.877) + CBD, Total THC = (THCa x 0.877) + Δ9-THC

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Cured plant material reported as moisture-corrected % dry weight, other sample types reported 'as is'. Analytical Instrumentation: Shimadzu Nexera HPLC. EVIO SOPT.30.050.CA, SOPT.40.023.CA




David Egerton  
Lab Director  
11/22/2019

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



## 25 Classic Blend Lot #AL-19316

Sample ID: 1911ELB0927.2947	Created: 11/18/2019	Client	Cultivator/Manufacturer
Strain: N/A	Collected: 11/18/2019	<b>Palmetto Synergistic Research</b>	
Matrix: Ingestible	Received: 11/18/2019	Lic. #	
Type: Tincture	Completed: 11/22/2019	8856 Pee Dee Hwy.	
Sample Size: 1 units; Batch:	Batch#:	Conway, SC 29527	

### Pesticides

Complete

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.025	0.08		ND	Tested	Fludioxonil	0.025	0.075		ND	Tested
Acephate	0.025	0.075		ND	Tested	Hexythiazox	0.025	0.075		ND	Tested
Acequinocyl	0.025	0.075		ND	Tested	Imazalil	0.025	0.075		ND	Tested
Acetamiprid	0.025	0.075		ND	Tested	Imidacloprid	0.025	0.075		ND	Tested
Aldicarb	0.025	0.075		ND	Tested	Kresoxim Methyl	0.025	0.075		ND	Tested
Azoxystrobin	0.025	0.075		ND	Tested	Malathion	0.025	0.075		ND	Tested
Bifenazate	0.025	0.075		ND	Tested	Metalaxyl	0.025	0.075		ND	Tested
Bifenthrin	0.025	0.075		ND	Tested	Methiocarb	0.025	0.075		ND	Tested
Boscalid	0.025	0.075		ND	Tested	Methomyl	0.025	0.075		ND	Tested
Captan	0.035	0.116		ND	Tested	Methyl Parathion	0.025	0.075		ND	Tested
Carbaryl	0.025	0.075		ND	Tested	Mevinphos	0.025	0.075		ND	Tested
Carbofuran	0.025	0.075		ND	Tested	Myclobutanil	0.025	0.075		ND	Tested
Chlorantraniliprole	0.025	0.075		ND	Tested	Naled	0.025	0.075		ND	Tested
Chlordane	0.025	0.075		ND	Tested	Oxamyl	0.025	0.075		ND	Tested
Chlorfenapyr	0.025	0.075		ND	Tested	Pacllobutrazol	0.025	0.075		ND	Tested
Chlorpyrifos	0.025	0.075		ND	Tested	Pentachloronitrobenzene	0.025	0.075		ND	Tested
Clofentezine	0.025	0.075		ND	Tested	Permethrin	0.025	0.075		ND	Tested
Coumaphos	0.025	0.075		ND	Tested	Phosmet	0.025	0.075		ND	Tested
Cyfluthrin	0.064	0.21		ND	Tested	Piperonyl Butoxide	0.025	0.075		ND	Tested
Cypermethrin	0.025	0.075		ND	Tested	Prallethrin	0.025	0.075		ND	Tested
Daminozide	0.025	0.075		ND	Tested	Propiconazole	0.025	0.075		ND	Tested
Diazinon	0.025	0.075		ND	Tested	Propoxur	0.025	0.075		ND	Tested
Dichlorvos	0.025	0.075		ND	Tested	Pyrethrins	0.025	0.075		ND	Tested
Dimethoate	0.025	0.075		ND	Tested	Pyridaben	0.025	0.075		ND	Tested
Dimethomorph	0.025	0.075		ND	Tested	Spinetoram	0.025	0.075		ND	Tested
Ethoprophos	0.025	0.075		ND	Tested	Spinosad	0.025	0.075		ND	Tested
Etofenprox	0.025	0.075		ND	Tested	Spiromesifen	0.025	0.075		ND	Tested
Etoxazole	0.025	0.075		ND	Tested	Spirotetramat	0.025	0.075		ND	Tested
Fenhexamid	0.025	0.075		ND	Tested	Spiroxamine	0.025	0.075		ND	Tested
Fenoxycarb	0.025	0.075		ND	Tested	Tebuconazole	0.025	0.075		ND	Tested
Fenpyroximate	0.025	0.075		ND	Tested	Thiacloprid	0.025	0.075		ND	Tested
Fipronil	0.025	0.075		ND	Tested	Thiamethoxam	0.025	0.075		ND	Tested
Fonicamid	0.025	0.075		ND	Tested	Trifloxystrobin	0.025	0.075		ND	Tested

Date Tested: 11/20/2019  
 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND - Not Detected; The reported result is based on as-is sample mass, e.g., wet-weight; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Perkin Elmer QSight 420 LC-MS/MS; SOP.T.40.051.CA




David Egerton  
Lab Director  
11/22/2019

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com





EVIO Labs - Berkeley  
1200 5th St.  
Berkeley, CA 94710

(510) 356-4248  
eviolabs.com/  
Lic# C8-0000067-LIC

**EVIO LABS**

**25 Classic Blend Lot #AL-19316**

<b>Sample ID:</b> 1911ELB0927.2947	<b>Created:</b> 11/18/2019	<b>Client</b>	<b>Cultivator/Manufacturer</b>
<b>Strain:</b> N/A	<b>Collected:</b> 11/18/2019	<b>Palmetto Synergistic Research</b>	
<b>Matrix:</b> Ingestible	<b>Received:</b> 11/18/2019	<b>Lic. #</b>	
<b>Type:</b> Tincture	<b>Completed:</b> 11/22/2019	<b>8856 Pee Dee Hwy.</b>	
<b>Sample Size:</b> 1 units; Batch:	<b>Batch#:</b>	<b>Conway, SC 29527</b>	

**Residual Solvents**

**Complete**

Analyte	LOD	LOQ	Limit	Concentration	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.08	0.25		ND	Tested
Benzene	0.03	0.12		ND	Tested
Chloroform	0.11	0.37		ND	Tested
Ethylene Oxide	0.12	0.41		ND	Tested
Methylene-Chloride	0.66	0.75		ND	Tested
Trichloroethene	0.4	0.4		ND	Tested
Acetone	5.46	36		ND	Tested
Acetonitrile	0.41	1.37		<LOQ	Tested
Butane	41.96	230.4		ND	Tested
Ethanol	6.39	48		ND	Tested
Ethyl-Acetate	2.61	19.2		ND	Tested
Ethyl-Ether	3.19	10.51		ND	Tested
Heptane	2.99	24		ND	Tested
Hexanes	0.31	1.03		ND	Tested
Isopropanol	3.3	24		ND	Tested
Methanol	2.76	9.12		ND	Tested
Pentane	6.29	36		ND	Tested
Propane	7.93	26.16		ND	Tested
Toluene	0.98	3.24		ND	Tested
Xylenes	1.04	1.04		ND	Tested



Date Tested: 11/18/2019

LOD=Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on nominal sample weight, and reported 'as is'; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu QP2020 GCMS; EVIO SOPT.40.031.CA



David Egerton  
Lab Director  
11/22/2019

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by EVIO Labs-Berkeley using valid testing methodologies and a quality system as required by California state law. Values reported relate only to the product tested. EVIO Labs-Berkeley makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of EVIO Labs-Berkeley.



EVIO Labs - Berkeley  
1200 5th St.  
Berkeley, CA 94710

(510) 356-4248  
eviolabs.com/  
Lic# C8-0000067-LIC

**EVIO LABS**

**25 Classic Blend Lot #AL-19316**

<b>Sample ID:</b> 1911ELB0927.2947	<b>Created:</b> 11/18/2019	<b>Client</b>	<b>Cultivator/Manufacturer</b>
<b>Strain:</b> N/A	<b>Collected:</b> 11/18/2019	<b>Palmetto Synergistic Research</b>	
<b>Matrix:</b> Ingestible	<b>Received:</b> 11/18/2019	<b>Lic. #</b>	
<b>Type:</b> Tincture	<b>Completed:</b> 11/22/2019	<b>8856 Pee Dee Hwy.</b>	
<b>Sample Size:</b> 1 units; Batch:	<b>Batch#:</b>	<b>Conway, SC 29527</b>	

**Microbials**

Complete

Analyte	Result
Aspergillus	None Detected in 1g
Aspergillus flavus	None Detected in 1g
Aspergillus fumigatus	None Detected in 1g
Aspergillus niger	None Detected in 1g
Aspergillus terreus	None Detected in 1g
Shiga toxin-producing E. Coli	None Detected in 1g
Salmonella SPP	None Detected in 1g

Date Tested: 11/22/2019  
NT = Not tested; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: BIO-RAD QPCR CFX96; EVIO SOPT.40.043

**Mycotoxins**

Complete

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Total Aflatoxins	4.4	14.6		ND	Tested
Ochratoxin A	4.5	14.8		ND	Tested

Date Tested: 11/20/2019  
LOD - Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Perkin Elmer QSight 420 LC-MS/MS; SOPT.40.051.CA

**Heavy Metals**

Complete

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.029	0.088		ND	Tested
Cadmium	0.02	0.059		ND	Tested
Lead	0.016	0.047		ND	Tested
Mercury	0.023	0.07		ND	Tested

Date Tested: 11/21/2019  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on sample weight, and reported 'as is'; all LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analytical Instrumentation: Shimadzu ICP/MS. EVIO SOPT.30.070.CA, SOPT.40.060.CA



David Egerton  
Lab Director  
11/22/2019

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com

